

SnackPoint Range



westomatic

British Vending Excellence Since 1966

Stylish, durable, energy efficient vending machines for all your snack & cold beverage needs

Summer 2015



Quattro

A+

7	7	7	7
7	7	7	7
7	7	7	7
7	7	7	7
13	13	13	13
13	13	13	13
16	16	16	16
16	16	16	16

Total = 372 products

1 TEMPERATURE



Quinto

A++

7	7	7	7	7
7	7	7	7	7
7	7	7	7	7
7	7	7	7	7
13	13	13	13	13
13	13	13	13	13
16	16	16	16	16
16	16	16	16	16

Total = 464 products

1 TEMPERATURE



Quattro Max

A+

7	7	7	7
7	7	7	7
16	16	13	13
11	11	11	11
6	6	6	6
6	6	6	6
6	6	6	6
6	6	6	6

Total = 318 products

1 TEMPERATURE



Quinto Max

A++

7	7	7	7	7
7	7	7	7	7
16	16	13	13	11
11	11	11	11	11
6	6	6	6	6
6	6	6	6	6
6	6	6	6	6
6	6	6	6	6

Total = 464 products

1 TEMPERATURE

Dimensions	Quattro	Quinto
Height (mm)	1830	1830
Width (mm)	900	1050
Depth with door (mm)	790	790
Depth without door (mm)	740	740
Minimum siting distance from back wall to rear of cabinet (mm)	100	100
Weight (kg approx)	260	330
Temperature		
Cabinet configuration temperature	6°C Stratified	
Electrical Services & Ratings - Power		
Voltage (Volts AC +/- 10%)	230	230
Current (amps)	13	13
Frequency (Hz)	50	50
Energy Consumption		
Idle Phase (watt hrs / hr)	201	201
EVA / EMP Rating	A+	A++

Confectionery

500ml Bottles

Cans

SnackPoint Range Features



Duo M

A+

7	7	7	7				
7	7	7	7				
16	16	13	13	11	11	11	11
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6

Total = 318 products

2 TEMPERATURE

- Cool single or dual temperature zones for product versatility
 - Large LCD graphics display 240 x 128 pixels on Duo models
 - Full glass panel - you see the product you are about to buy
 - Durable cabinet with programmable security lock*
 - Lightweight product shelves with tilted upper trays for easy loading
 - Near-silent slide-out refrigeration unit, accessible from the front of the machine
 - Health control for fresh food and perishables on Duo models
 - Power LED lighting for attractive merchandising – no more fluorescent light tubes to replace!
 - All features can be set up using a programmable key. All data on sales and cash is downloadable using the same key
 - A+ and A++ energy efficiency rating – low energy operating costs
- * Optional accessory



Duo L

A+

7	7	7	7	7					
7	7	7	7	7					
16	16	13	13	11	11	11	11	11	11
6	6	6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6	6	6

Total = 394 products

2 TEMPERATURE



Trio

A+

7	7	7			
7	7	7			
16	16	16	11	11	11
6	6	6	6	6	6
6	6	6	6	6	6
6	6	6	6	6	6

Total = 246 products

1 TEMPERATURE

OR

2 TEMPERATURE

Duo M	Duo L	Trio
1830	1830	1830
910	1060	765
790	790	900
740	740	-
100	100	100
270	340	210

Two Zones- Snack 9°C- 14°C / Food 3°C

230	230	230
13	13	13
50	50	50
228	228	255
A+	A+	A+



Easy 6000

Quattro Max



Sigma Light

Quattro

Configuration	Machine
Single temperature Snacks, confectionery, cans and bottles Adjustable up to 6°C	■ Quattro Max - 40 selections
	■ Quinto Max - 50 selections
1 TEMPERATURE	
Single temperature Snacks and confectionery Adjustable up to 6°C	■ Quattro - 32 selections
	■ Quinto - 40 selections
1 TEMPERATURE	
Two temperatures Snacks, confectionery, cans and bottles Snack 9°C - 14°C / Food 3°C	■ Duo M - 40 selections
	■ Duo L - 50 selections
	■ 'Lower chilled zone' can be extended up or down by one shelf.
■ Optional front-facing sandwich trays ensure product labels can be easily read (Not suitable for 'deep-fill' sandwiches)	2 TEMPERATURE



Size matters

At just 620 mm wide with payment pod removed, the Trio will squeeze into sites where other machines let you down!

Item	Description	As Standard
Audit Capability	Wireless telemetry	Optional All
Display	4 Line LCD instruction display	Standard Quattro & MAX, Quinto & MAX, Duo M & Duo L
	2 Line LCD instruction display	Standard Trio
Colour	Silver	Standard Trio
	Black	Standard Quattro & MAX, Quinto & MAX, Duo M & Duo L
Health Control	In-built 'health control' feature for food and sandwiches	Standard Duo M, Duo L & Trio
LED Lighting	LED product lighting	Standard All
Payment system	Coin & or cashless payment system	Optional All
	Lockable cashbox	Optional All
Graphics	Backlit fascia panel	Standard Duo M & Duo L
	Non backlit panel	Standard Quattro & MAX and Quinto & MAX
Secure Vend	In-built Secure Vend feature	Standard All



Tel: +44 (0)1626 323100 | Fax: +44 (0)1626 369400
 vending@westomatic.com | www.westomatic.com